

CS70: Discrete Math and Probability

Fan Ye

June 27, 2016

Today

More graphs


Connectivity

Eulerian Tour

Planar graphs

5 coloring theorem

Connectivity



u and v are **connected** if there is a path between u and v .

A connected graph is a graph where all pairs of vertices are connected.

If one vertex x is connected to every other vertex.

Is graph connected? Yes? No?


Proof idea: Use path from u to x and then from x to v .

May not be simple!

Either modify definition to walk.

Or cut out cycles. .

Connected component



Is graph above connected? Yes!

How about now? No!

Connected Components? $\{1\}, \{10, 7, 5, 8, 4, 3, 11\}, \{2, 9, 6\}$.

Connected component - maximal set of connected vertices.

Quick Check: Is $\{10, 7, 5\}$ a connected component? No.

Finally..back to bridges!

Definition: An Eulerian Tour is a tour that visits each edge exactly once.


Theorem: Any undirected graph has an Eulerian tour if and only if all vertices have even degree and is connected.

Proof of only if: Eulerian \implies connected and all even degree.

Eulerian Tour is connected so graph is connected.

Tour enters and leaves vertex v on each visit.

Uses two incident edges per visit. Tour uses all incident edges. Therefore v has even degree. □




When you enter, you leave.

For starting node, tour leaves firstthen enters at end.

Finding a tour!

Proof of if: Even + connected \implies Eulerian Tour.

We will give an algorithm. First by picture.



1. Take a walk starting from v (1) on “unused” edges ... till you get back to v .
2. Remove tour, C .
3. Let G_1, \dots, G_k be connected components. Each is touched by C .
Why? G was connected.
Let v_i be (first) node in G_i touched by C .
Example: $v_1 = 1$, $v_2 = 10$, $v_3 = 4$, $v_4 = 2$.
4. Recurse on G_1, \dots, G_k starting from v_i
5. Splice together.
 $1, 10, 7, 8, 5, 10, 8, 4, 3, 11, 4, 5, 2, 6, 9, 2$ and to 1!

Finding a tour: in general.

1. Take a walk from arbitrary node v , until you get back to v .

Claim: Do get back to v !

Proof of Claim: Even degree. If enter, can leave except for v . □

2. Remove cycle, C , from G .

Resulting graph may be disconnected. (Removed edges!)

Let components be G_1, \dots, G_k .

Let v_i be first vertex of C that is in G_i .

Why is there a v_i in C ?

G was connected \implies

a vertex in G_i must be incident to a removed edge in C .

Claim: Each vertex in each G_i has even degree and is connected.

Prf: Tour C has even incidences to any vertex v . □

3. Find tour T_i of G_i starting/ending at v_i . Induction.

4. Splice T_i into C where v_i first appears in C .


Visits every edge once:

Visits edges in C exactly once.

By induction for all edges in each G_i . □

Planar graphs.


A graph that can be drawn in the plane without edge crossings.



Planar? Yes for Triangle.

Four node complete? Yes.


Five node complete or K_5 ? No! Why? Later.



Two to three nodes, bipartite? Yes.

Three to three nodes, complete/bipartite or $K_{3,3}$. No. Why? Later.

Euler's Formula.



Faces: connected regions of the plane.

How many faces for

triangle? 2

complete on four vertices or K_4 ? 4

bipartite, complete two/three or $K_{2,3}$? 3

v is number of vertices, e is number of edges, f is number of faces.

Euler's Formula: Connected planar graph has $v + f = e + 2$.

Triangle: $3 + 2 = 3 + 2!$


K_4 : $4 + 4 = 6 + 2!$

$K_{2,3}$: $5 + 3 = 6 + 2!$

Examples = 3! Proven! Not!!!!

Euler and Polyhedron.

Greeks knew formula for polyhedron.



Faces? 6. Edges? 12. Vertices? 8.

Euler: Connected planar graph: $v + f = e + 2$.

$$8 + 6 = 12 + 2.$$

Greeks couldn't prove it. Induction? Remove vertice for polyhedron?

Polyhedron without holes \equiv Planar graphs.



Surround by sphere.

Project from point inside polytope onto sphere.

Sphere \equiv Plane! Topologically.

Euler proved formula thousands of years later!

Euler and planarity of K_5 and $K_{3,3}$



Euler: $v + f = e + 2$ for connected planar graph.

Each face is adjacent to at least three edges. face-edge adjacencies. $\geq 3f$

Each edge is adjacent to exactly two faces. face-edge adjacencies. $= 2e$

$$\implies 3f \leq 2e$$

$$\text{Euler: } v + \frac{2}{3}e \geq e + 2 \implies e \leq 3v - 6$$

K_5 Edges? $4 + 3 + 2 + 1 = 10$. Vertices? 5.

$$10 \not\leq 3(5) - 6 = 9. \implies K_5 \text{ is not planar.}$$

$K_{3,3}$? Edges? 9. Vertices. 6. $9 \leq 3(6) - 6$? Sure!

But no cycles that are triangles. Face is of length ≥ 4 .

$$\dots 4f \leq 2e.$$

$$\text{Euler: } v + \frac{1}{2}e \geq e + 2 \implies e \leq 2v - 4$$

$$9 \not\leq 2(6) - 4. \implies K_{3,3} \text{ is not planar!}$$

Tree.

A tree is a connected acyclic graph.

To tree or not to tree!



Yes. No. Yes. No. No.

Faces? 1. 2. 1. 1. 2.

Vertices/Edges. Notice: $e = v - 1$ for tree.

One face for trees!

Euler works for trees: $v + f = e + 2$.

$$v + 1 = v - 1 + 2$$

Euler's formula.

Euler: Connected planar graph has $v + f = e + 2$.

Proof sketch: Induction on e .


Base: $e = 0$, $v = f = 1$. $p(0)$ (base case) holds

Induction Step:

If it is a tree. Done.

If not a tree.

Find a cycle. Remove edge.



Joins two faces.

New graph: v -vertices. $e - 1$ edges. $f - 1$ faces. Planar.


$v + (f - 1) = (e - 1) + 2$ by induction hypothesis for a smaller graph with $e - 1$ edges.

Therefore $v + f = e + 2$.

□

Graph Coloring.

Given $G = (V, E)$, a coloring of a G assigns colors to vertices V where for each edge the endpoints have different colors.



Notice that the last one, has one three colors.



Fewer colors than number of vertices.

Fewer colors than max degree node.

Interesting things to do. Algorithm!

Planar graphs and maps.

Planar graph coloring \equiv map coloring.



Four color theorem is about planar graphs!

Six color theorem.

Theorem: Every planar graph can be colored with six colors.

Proof:

Recall: $e \leq 3v - 6$ for any planar graph.

From Euler's Formula.

Total degree: $2e$

Average degree: $\leq \frac{2e}{v} \leq \frac{2(3v-6)}{v} \leq 6 - \frac{12}{v}$.

There exists a vertex with degree < 6 or at most 5.

Remove vertex v of degree at most 5.

Inductively color remaining graph.

Color is available for v since only five neighbors...

and only five colors are used.



Five color theorem

Theorem: Every planar graph can be colored with five colors.

Preliminary Observation: Connected components of vertices with two colors in a legal coloring can switch colors.

Proof:

Again with the degree 5 vertex. Again recurse.

m Assume neighbors are colored all differently.

Otherwise done.

Switch green to blue in component.

Done. Unless blue-green path to blue.

Switch red to orange in its component.

Done. Unless red-orange path to red.

Planar. \implies paths intersect at a vertex!

What color is it?


Must be blue or green to be on that path.

Must be red or orange to be on that path.

Contradiction.

Can recolor one of the neighbors.

And recolor “center” vertex.



□

Four Color Theorem

Theorem: Any planar graph can be colored with four colors.

Proof: Not Today!